


SHUTTER PARTS CATALOG



Condado Window

- **Roll-Up Shutter Parts & Accessories**
- **Accordion Shutter Parts & Accessories**

ROLL UP SHUTTER PARTS SECTION






Condado Window

EXTRUDED SLATS


ROLL-UP SLATS, TRACKS AND ACCESORIES



Features

44mm Non Vented Retention Slat 24'-0" 6063-T6

Cat, No.	Color	Unit
RS-44WH-450	White	Ea.



Features

55mm Non Vented Retention Slat 24'-0" 6063-T6

Cat, No.	Color	Unit
RS-44WH-650	White	Ea.



Condado Window

SIDELOCKS FOR SLATS

ROLL-UP SLATS, TRACKS AND ACCESORIES



Features

44mm Slat Lock

Cat, No.	Color	Unit
RS-SLB-44H	Black	Ea.



Features

44mm Slat Lock for End Retention

Cat, No.	Color	Unit
RS-SLC-44RT	Black	Ea.



Features

55mm Slat Lock

Cat, No.	Color	Unit
RS-SLB-55RB	Black	Ea.



Features

55mm Slat Lock for End Retention

Cat, No.	Color	Unit
RS-SLB-55RT	Black	Ea.


This Item Must Be Order Combined With RS-SLB-55RB



Condado Window

SIDE LOCKS SCREWS

ROLL-UP SLATS, TRACKS AND ACCESORIES




To Use With 55mm RS-SLB-55RB Slat Lock

Features

#10 X 1" Square Flat SMS 18-8 Stainless Screw

Cat. No.	Color	Unit
SC-SFS-10100		Ea.




To Use With 44mm RS-SLC-44RT Slat Lock

Features

#10 X 1 3/4" Square Flat SMS 18-8 Stainless Screw

Cat. No.	Color	Unit
SC-SFS-10175		Ea.



To Use With 55mm RS-SLB-55RT Slat Lock


Features

#10 X 2" Square Flat SMS 18-8 Stainless Screw

Cat. No.	Color	Unit
SC-SFS-10200		Ea.




ROLL-UP SLATS, TRACKS AND ACCESORIES



Features

Mini Track for 40mm or 44mm Slat


Cat. No.	Color	Unit
RS-41WH-MN	White	Ea.



Features

Dade Track for 55mm or 60mm Slat


Cat. No.	Color	Unit
RS-41WH-DD	White	Ea.



Features

Mini Track for 44mm Slat (Using End Retention)

Cat. No.	Color	Unit
RS-41WH-R4	White	Ea.



Features

Dade Track for 55mm Slat (Using End Retention)

Cat. No.	Color	Unit
RS-41WH-RT	White	Ea.



Condado Window

BASE SLATS

ROLL-UP SLATS, TRACKS AND ACCESORIES



Features

Gasket for Bottom Slat 44mm


Cat. No.	Color	Unit
RSC-GG600MINI	Black	Ft.



Features

Gasket for Bottom Slat 55mm

Cat. No.	Color	Unit
RSC-GG775MAX	Black	Ft.



Features

Felp .270" x .240 Grey Non Fin For All Tracks


Cat. No.	Color	Unit
WT-270-240-G	Gray	Ft.



Condado Window

STOPS AND PLUGS

ROLL-UP SLATS, TRACKS AND ACCESORIES



Features

Conical Slat Stop


Cat. No.	Color	Unit
RS-3000-PS-00-00	White	Ea.



Features

Plug Button 1/2" for Rails/Tracks

Cat. No.	Color	Unit
RS-4125-BU-12-WH	White	Ea.



Features


Plug Button 5/8" for Rails/Tracks

Cat. No.	Color	Unit
RS-4125-BU-58-WH	White	Ea.



ROLL-UP HOODS


ROLL-UP HOODS, SIDECAPS & ACCESSORIES



Features

Front Hood With Lip 45° White Stock Length: 24'-0"


Cat, No.	Size	Unit
RS-1206-45-WH	6-1/2"	Ea.
RS-1208-45-WH	8"	Ea.
RS-1210-45-WH	10"	Ea.
RS-1212-45-WH	12"	Ea.



Features

Front Hood With Lip 90° White Stock Length: 24'-0"

Cat, No.	Color	Unit
RS-1206-90-WH	6-1/2"	Ea.
RS-1208-90-WH	8"	Ea.
RS-1210-90-WH	10"	Ea.



Features


Back Hood 90° White Stock Length: 24'-0"

Cat, No.	Color	Unit
RS-1206-BK-WH	6-1/2"	Ea.
RS-1208-BK-WH	8"	Ea.
RS-1210-BK-WH	10"	Ea.
RS-1212-BK-WH	12"	Ea.



Condado Window

ROLL-UP SIDE CAPS




PICTURE MAY VARY FROM ACTUAL PRODUCT

Features

Small Pin 2-1/2 90° White (For MN and R4 Tracks)

Cat. No.	Size	Unit
RS-1506-90-WH	6-1/2"	Pair
RS-1509-90-WH	8"	Pair
RS-1511-90-WH	10"	Pair




PICTURE MAY VARY FROM ACTUAL PRODUCT

Features

Large Pin 3" 90° White (For DD and RT Tracks)


Cat. No.	Size	Unit
RS-1508-90-WH	8"	Pair
RS-1510-90-WH	10"	Pair



Features

Small Pin 2-1/2 45° White (For MN and R4 Tracks)

Cat. No.	Size	Unit
RS-1506-45-WH	6-1/2"	Pair
RS-1509-45-WH	8"	Pair
RS-1511-45-WH	10"	Pair



Features


Large Pin 3" 45° White (For DD and RT Tracks)

Cat. No.	Size	Unit
RS-1508-45-WH	8"	Pair
RS-1510-45-WH	10"	Pair
RS-1512-45-WH	12"	Pair



SAFETY PLATES


ROLL-UP HOODS, SIDECAPS & ACCESSORIES



Features

Safety Plates 90° Galvanized /w 72mm Hole


Cat, No.	Size	Unit
RS-1706-90-72	6-1/2"	ea.
RS-1708-90-72	8"	ea.
RS-1710-90-72	10"	Ea.



Features

Safety Plates 90° Galvanized /w 92mm Hole

Cat, No.	Size	Unit
RS-1708-90-92	8"	ea.
RS-1710-90-92	10"	ea.



Features

Safety Plates 45° Galvanized /w 72mm Hole

Cat, No.	Size	Unit
RS-1706-45-72	6-1/2"	ea.
RS-1708-45-72	8"	ea.
RS-1710-45-72	10"	Ea.



Features


Safety Plates 45° Galvanized /w 92mm Hole

Cat, No.	Size	Unit
RS-1708-45-92	8"	ea.
RS-1710-45-92	10"	ea.
RS-1712-45-92	12"	Ea.



ENTRY GUIDES


ROLL-UP PARTS



Features

Mini Entry Guide for MN or R4 Tracks

Cat. No.	Color	Unit
RS-1800-EG-MI-00	Natural	Pair



Features


Special Entry Guide for DD or RT Tracks

Cat. No.	Color	Unit
RS-1820-EG-MA-00	Natural	Pair



ROLLING TUBES


ROLL-UP TUBES, IDLERS, BEARINGS & ACCESSORIES



Features

40mm Octagonal Galvanized Tube 19'-0"


Cat. No.	Color	Unit
RS-2040-TU-40-08		Ea.



Features

60mm Octagonal Galvanized Tube 19'-0"


Cat. No.	Color	Unit
RS-2060-TU-60-10		Ea.



Features

70mm Octagonal Galvanized Tube 19'-0"

Cat. No.	Color	Unit
RS-2070-TU-70-12		Ea.



Features

70mm Octagonal Aluminum Tube 19'-0"


Cat. No.	Color	Unit
RS-2070-TU-70-AL		Ea.



Condado Window

SLAT HANGERS


ROLL-UP TUBES, IDLERS, BEARINGS & ACCESSORIES



Features

Maxi Hanger for 55mm/60mm Blade


Cat. No.	Color	Unit
RS-1900-HA-MA-00	N/A	Ea.



Features

Quick Maxi Hanger for 55mm/60mm Blade


Cat. No.	Color	Unit
RS-1900-HA-MA-10	N/A	Ea.



Features

Mini Hanger for 44mm/40mm Blade

Cat. No.	Color	Unit
RS-1900-HA-MI-00	N/A	Ea.



Features

Quick Mini Hanger for 44mm/40mm Blade

Cat. No.	Color	Unit
RS-1900-HA-MI-10	N/A	Ea.



Condado Window

IDLERS AND CAPS

ROLL-UP TUBES, IDLERS, BEARINGS & ACCESSORIES



Features

PVC Idler Cap 40mm


Cat. No.	Color	Unit
RS-2140-IC-80-28	N/A	Ea.



Features

PVC Idler Cap 60mm


Cat. No.	Color	Unit
RS-2160-IC-X4-28	N/A	Ea.



Features

Shaft Cap Adjust 60mm PVC

Cat. No.	Color	Unit
RS-2186-SC-60-12	N/A	Ea.



Features

Shaft Cap Adjust 70mm PVC


Cat. No.	Color	Unit
RS-2186-SC-70-12	N/A	Ea.



Condado Window

IDLERS AND CAPS


ROLL-UP TUBES, IDLERS, BEARINGS & ACCESSORIES



Features

Shaft Cap Adjust 60mm Aluminum

Cat. No.	Color	Unit
RS-2187-SC-60-12	N/A	Ea.



Features


Shaft Cap Adjust 70mm Aluminum

Cat. No.	Color	Unit
RS-2187-SC-70-12	N/A	Ea.



PLATES / HOLDERS

ROLL-UP TUBES, IDLERS, BEARINGS & ACCESSORIES



Features

Idler Bracket 100 X 100

Cat. No.	Color	Unit
RS-2190-IS-00-MA	N/A	Ea.



Features

Bearing Holder 28 mm Bearing


Cat. No.	Color	Unit
RS-2228-BH-28-03	N/A	Ea.



Features

Bearing Holder 42 mm Bearing

Cat. No.	Color	Unit
RS-2242-BH-42-03	N/A	Ea.



Features

Bearing Plate 100 x 100 42 mm Bearing

Cat. No.	Color	Unit
RSS-H-2006897	N/A	Ea.



BEARINGS

ROLL-UP TUBES, IDLERS, BEARINGS & ACCESSORIES



Features

Ball Bearing Mini 28 mm Nylon

Cat. No.	Color	Unit
RSS-2228-BB-28-00	N/A	Ea.



Features

Ball Bearing 42 mm Nylon

Cat. No.	Color	Unit
RSS-2228-BB-42-00	N/A	Ea.



Features

Ball Bearing 28 mm Steel

Cat. No.	Color	Unit
RSS-2228-BB-28-01		Ea.



Features

Ball Bearing 42 mm Steel

Cat. No.	Color	Unit
RSS-2228-BB-42-01		Ea.



Condado Window

MANUAL GEARS

ROLL-UP GEARS, SPRINGS, UNIVERSALS & ACCESSORIES



Features

Round Gear 1.10


Cat. No.	Color	Unit
RS-2320-GE-01-10	N/A	Ea.



Features

Round Gear 1.11

Cat. No.	Color	Unit
RSS-H-733040	N/A	Ea.



Features

Connector Square 13-16 for Gear 1.11

Cat. No.	Color	Unit
RSS-H-850084	N/A	Ea.



Condado Window

GEAR INSERTS

ROLL-UP GEARS, SPRINGS, UNIVERSALS & ACCESSORIES



Features

40 mm PVC Gear Insert

Cat, No.	Color	Unit
RS-2440-GI-40-76	N/A	Ea.



Features

60 mm PVC Gear Insert

Cat, No.	Color	Unit
RS-2460-GI-60-55	N/A	Ea.



Features

60 mm Aluminum Gear Insert

Cat, No.	Color	Unit
RS-2460-GI-60-50	N/A	Ea.



Features

70 mm Aluminum Gear Insert


Cat, No.	Color	Unit
RS-2470-GI-70-50	N/A	Ea.



Condado Window

UNIVERSAL SHAFT


ROLL-UP GEARS, SPRINGS, UNIVERSALS & ACCESSORIES



Features

Universal 2 Hole 7mm Hexagonal


Cat. No.	Color	Unit
RS-2537-UC-02-SS	N/A	Ea.



Features

Universal 4 Hole 7mm Hexagonal


Cat. No.	Color	Unit
RS-2537-UC-04-NI	N/A	Ea.



Features

Universal 2 Hole 8mm Square

Cat. No.	Color	Unit
RS-2530-UC-02-SS	N/A	Ea.



Features

Universal 4 Hole 8mm Square

Cat. No.	Color	Unit
RSS-2228-BB-42-01	N/A	Ea.



Condado Window

SPRING ASSISTS

ROLL-UP GEARS, SPRINGS, UNIVERSALS & ACCESSORIES



Features

Spring Assist 34kg. (74lb.) for 60mm Tube


Cat. No.	Color	Unit
RS-2630-MA-SP-60	N/A	Ea.



Features

Spring Assist 56kg. (123lb.) for 70mm Tube

Cat. No.	Color	Unit
RS-2631-MA-SP-70	N/A	Ea.



Features

Spring Support Plate



Cat. No.	Color	Unit
RS-2632-MI-SP-PL	N/A	Ea.



Condado Window

HANDLE CRANKS

ROLL-UP GEARS, SPRINGS, UNIVERSALS & ACCESSORIES



Features

Handle Nickel Crank (Outside Bell Mount)


Cat. No.	Color	Unit
RS-2540-HA-NI-OB	N/A	Ea.



Condado Window

STRAP OPERATOR


ROLL-UP PULLEYS, RECOIL BOXES & ACCESSORIES



Features

P.Pulley 140m for 40mm Tube

Cat. No.	Color	Unit
RS-2640-PU-14-28	N/A	Ea.



Features

Mini Recoil Box (Strap Tape Included)

Cat. No.	Color	Unit
RS-2710-RB-ME-00	White	Ea.



Features

Mini Tape Guide

Cat. No.	Color	Unit
RS-2790-SG-BM-0	White	Ea.



Features

Strap Guide

Cat. No.	Color	Unit
RS-2790-SG-WM-00	White	Ea.



Condado Window

SIMU OPERATORS

ROLL-UP MOTOR OPERATORS



Features

SIMU Type 5 Operator for 60mm/70mm Tube
With Manual Override (120V-60Hz) AC

Cat. No.	Weight	Watts	Amps
RSS-MO-550		240w	1.1

All Weight Limits Shown Are Theoretical * 220v Operators Available By Special Order



Features

SIMU Type 6 Operator for 70mm Tube
With Manual Override (120V-60Hz) AC

Cat. No.	Weight	Watts	Amps
RSS-MO-6100		430w	3.8

All Weight Limits Shown Are Theoretical * 220v Operators Available By Special Order



Features

SIMU Type 5 HZ Operator for 60mm/70mm Tube
With Manual Override (120V-60Hz) AC

Cat. No.	Weight	Watts	Amps
RSS-MOH-550		240w	1.1

All Weight Limits Shown Are Theoretical * 220v Operators Available By Special Order



Features

SIMU Type 6 HZ Operator for 70mm Tube
With Manual Override (120V-60Hz) AC

Cat. No.	Weight	Watts	Amps
RSS-M-6100		430w	3.8

All Weight Limits Shown Are Theoretical * 220v Operators Available By Special Order



Condado Window

SIMU OPERATORS (SPECIAL ORDERING)

ROLL-UP MOTOR OPERATORS



Available by Special Ordering

Features

SIMU Type 5 Operator for 60mm/70mm Tube
(120V-60Hz) AC

Cat. No.	Weight	Watts	Amps
RSS-M-515		140w	0.65
RSS-M-530		170w	1.5

All Weight Limits Shown Are Theoretical * 220v Operators Available By Special Order



Available by Special Ordering

Features

SIMU Type 6 Operator for 70mm Tube
(120V-60Hz) AC

Cat. No.	Weight	Watts	Amps
RSS-M-660		285w	2.5
RSS-M-680		390w	3.4

All Weight Limits Shown Are Theoretical * 220v Operators Available By Special Order



Available by Special Ordering

Features

SIMU Type 5 Operator for 60mm/70mm Tube
With Manual Override (120V-60Hz) AC

Cat. No.	Weight	Watts	Amps
RSS-MO-515		140w	0.65
RSS-MO-530		170w	1.5

All Weight Limits Shown Are Theoretical * 220v Operators Available By Special Order



Available by Special Ordering

Features

SIMU Type 6 Operator for 70mm Tube
With Manual Override (120V-60Hz) AC

Cat. No.	Weight	Watts	Amps
RSS-M-660		285w	2.5
RSS-M-680		390w	3.4

All Weight Limits Shown Are Theoretical * 220v Operators Available By Special Order



Condado Window

SIMU HZ OPERATORS (SPECIAL ORDERING)

ROLL-UP MOTOR OPERATORS



Available by Special Ordering

Features

SIMU Type 5 HZ.02 Operator
for 60mm/70mm Tube (120V-60Hz) AC

Cat, No.	Weight	Watts	Amps
RSS-MH-515		140w	0.65
RSS-MH-530		170w	1.5

All Weight Limits Shown Are Theoretical * 220v Operators Available By Special Order



Available by Special Ordering

Features

SIMU Type 6 HZ.02 Operator for 70mm Tube
(120V-60Hz) AC

Cat, No.	Weight	Watts	Amps
RSS-MH-660		285w	2.5
RSS-MH-680		390w	3.4

All Weight Limits Shown Are Theoretical * 220v Operators Available By Special Order



Available by Special Ordering

Features

SIMU Type 5 HZ Operator for 60mm/70mm Tube
With Manual Override (120V-60Hz) AC

Cat, No.	Weight	Watts	Amps
RSS-MO-515		140w	0.65
RSS-MO-530		170w	1.5

All Weight Limits Shown Are Theoretical * 220v Operators Available By Special Order



Available by Special Ordering

Features

SIMU Type 6 HZ Operator for 70mm Tube
With Manual Override (120V-60Hz) AC

Cat, No.	Weight	Watts	Amps
RSS-M-660		285w	2.5
RSS-M-680		390w	3.4

All Weight Limits Shown Are Theoretical * 220v Operators Available By Special Order



SOMFY OPERATORS (SPECIAL ORDERING)

ROLL-UP MOTOR OPERATORS

Available by Special Ordering



Features

SOMFY Type 5 Operator for 60mm/70mm Tube
(120V-60Hz) AC

Cat. No.	Weight	Watts	Amps
RSF-M-530		170w	1.5
RSF-M-550		250w	2.1

All Weight Limits Shown Are Theoretical

Available by Special Ordering



Features

SOMFY Type 6 Operator for 70mm Tube
(120V-60Hz) AC

Cat. No.	Weight	Watts	Amps
RSF-M-680		390w	3.4
RSF-M-6100		430w	3.8

All Weight Limits Shown Are Theoretical

Available by Special Ordering



Features

SOMFY Type 5 Operator for 60mm/70mm Tube
With Manual Override (120V-60Hz) AC

Cat. No.	Weight	Watts	Amps
RSF-MO-530		170w	1.5
RSF-MO-550		250w	2.1

All Weight Limits Shown Are Theoretical

Available by Special Ordering



Features

SOMFY Type 6 Operator for 70mm Tube
With Manual Override (120V-60Hz) AC

Cat. No.	Weight	Watts	Amps
RSF-MO-680		390w	3.4
RSF-MO-6100		430w	3.8

All Weight Limits Shown Are Theoretical



Condado Window

SOMFY HZ OPERATORS (SPECIAL ORDERING)

ROLL-UP MOTOR OPERATORS

Available by Special Ordering



Features

SOMFY Type 5 RTS Operator for 60mm/70mm Tube (120V-60Hz) AC

Cat. No.	Weight	Watts	Amps
RSF-MH-530		170w	1.5
RSF-MH-550		250w	2.1

All Weight Limits Shown Are Theoretical

Available by Special Ordering



Features

SOMFY Type 5 RTS Operator for 60mm/70mm Tube With Manual Override (120V-60Hz) AC

Cat. No.	Weight	Watts	Amps
RSF-MOH-680		390w	3.4
RSS-MOH-6100		430w	3.8


All Weight Limits Shown Are Theoretical



Condado Window

MOTOR ADAPTERS

ROLL-UP MOTOR OPERATORS



Features

Adapter Set for Rnd 78mm Tube for Type 5 Motor

Cat, No.	Unit
RSS-H-521007	Ea.



Features

Adapter Set for Oct 60mm Tube for Type 5 Motor

Cat, No.	Unit
RSS-H-521031	Ea.



Features

Adapter Set for Oct 70mm Tube for Type 5 Motor

Cat, No.	Unit
RSS-H-521021A	Ea.



Condado Window

MOTOR ADAPTERS


ROLL-UP MOTOR OPERATORS



Features

Adapter Set for Rnd 78mm Tube For Type 6 Motor

Cat. No.	Unit
RSS-H-530107	Ea.



Features

Adapter Set for Oct 70mm Tube for Type 6 Motor


Cat. No.	Unit
RSS-H-530117A	Ea.



Condado Window

MOTOR PLATES


ROLL-UP MOTOR OPERATORS



Features

Plate for SIMU T5 Non Manual Override Operator


Cat. No.	Unit
RSS-H-520187	Ea.



Features

Plate for SIMU T6 Non Manual Override Operator


Cat. No.	Unit
RSS-H-530017	Ea.



Features

Plate for SOMFY T5 Non Manual Override Operator

Cat. No.	Unit
RSF-H-9763508	Ea.



Features

Plate for SOMFY T6 Non Manual Override Operator


Cat. No.	Unit
RSF-H-9763508	Ea.



Condado Window

MOTOR PLATES

ROLL-UP MOTOR OPERATORS



Features

Plate for T5/T6 Manual Override Operator

Cat. No.	Unit
RSS-H-706034	Ea.



Features

Awning Plate for T5/T6 Manual Override Operator

Cat. No.	Unit
RSS-H-420647	Ea.



Features

Override Eye for T5/T6 Manual Override Operator

Cat. No.	Unit
RSS-H-685114	Ea.



Condado Window

RTS Hz Receivers

RTS Motor Control System



Features

Hz RTS Receiver

Cat. No.	Color	Unit
RSS-ET-HREC	White	ea.

CAN BE USE WITH ANY 4-WIRE MOTOR OPERATOR



Features

Hz RTS Micro Receiver for Shutters

Cat. No.	Color	Unit
RSS-ET-MICROM	White	ea.

CAN BE USE WITH ANY 4-WIRE MOTOR OPERATOR



Features

Hz RTS Micro Receiver for Lights

Cat. No.	Color	Unit
RSS-ET-MICROL	White	ea.



Features

Hz RTS Signal Repeater


Cat. No.	Color	Unit
RSS-ET-HREP	White	ea.



Condado Window

RTS Hz Transmitters


RTS Motor Control System



Features

Hz Wall Mounted Transmitter

Cat. No.	Channels	Unit
RSS-ET-HWS-1	1	ea.
RSS-ET-HWS-5	5	ea.



Features

Hz Handheld Transmitter

Cat. No.	Channels	Unit
RSS-ET-HHS1	1	ea.
RSS-ET-HHS5	5	ea.



Features

Hz (16) Channel Handheld Transmitter

Cat. No.	Color	Unit
RSS-ET-HH16	White	ea.



Condado Window

RTS Hz Transmitters

RTS Motor Control System



Features
 Hz RTS (1) Channel Decoflex Wire Free Transmitter
Cat, No. **Color** **Unit**
 RSS-ET-HW1 White ea.



Features
 Hz RTS (5) Channel Decoflex Wire Free Transmitter
Cat, No. **Color** **Unit**
 RSS-ET-HW5 White ea.



Features
 Hz (4) Channel Key Chain Transmitter
Cat, No. **Color** **Unit**
 RSS-ET-2005914 Black ea.



Features
 Hz Digital Outdoor/Indoor Wireless Keypad
Cat, No. **Color** **Unit**
 RSS-ET-2006029 Black ea.



Condado Window

LIANDA OPERATORS

ROLL-UP MOTOR OPERATORS



Features

LIANDA Type 5 Operator for 60mm/70mm Tube
With Manual Override (120V-60Hz) AC
Plate and Adapter Set Included

Cat, No.	Weight	Watts	Amps
RSL-MO-550		290w	2.4

All Weight Limits Shown Are Theoretical



Features

LIANDA Type 6 Operator for 70mm Tube
With Manual Override (120V-60Hz) AC
Plate and Adapter Set Included

Cat, No.	Weight	Watts	Amps
RSL-MO-6100		450w	3.8

All Weight Limits Shown Are Theoretical



Condado Window

WISTAR OPERATORS

ROLL-UP MOTOR OPERATORS



Features

MOTOR Radio Type 5 Operator for 60mm/70mm Tube With Manual Override (120V-60Hz) AC Plate and Adapter Set Included

Cat. No.	Weight	Watts	Amps
RSW-MOH-550		280w	2.4

All Weight Limits Shown Are Theoretical



Features

MOTOR Radio Type 6 Operator for 70mm Tube With Manual Override (120V-60Hz) AC Plate and Adapter Set Included

Cat. No.	Weight	Watts	Amps
RSW-MOH-6100		478w	4.02

All Weight Limits Shown Are Theoretical



ROLL-UP MOTOR OPERATORS



Features

Wistar Single Channel Handheld Transmitter

Cat. No.	Channel	Unit
RSW-ET-HH1	1	ea.



Features

Wistar Multichannel Handheld Transmitter

Cat. No.	Channels	Unit
RSW-ET-HH4	4	ea.
RSW-ET-HH8	8	ea.
RSW-ET-HH16	16	ea.



Features

Wistar Multichannel Wall-mounted Transmitter

Cat. No.	Channels	Unit
RSW-ET-HW1	2	ea.
RSW-ET-HW8	8	ea.



Features

Wistar Single Channel Keychain Transmitter

Cat. No.	Channels	Unit
RSW-ET-HK1	1	ea.



SWITCHES


Motor Operator Controls



Features

Momentary Rocker Switches

Cat, No.	Poles	Color	Unit
RSS-ET-SPMO-W	Single	White	ea.
RSS-ET-DPMO-W	Double	White	ea.



Features

Maintain Rocker Switches

Cat, No.	Poles	Color	Unit
RSS-ET-SPMA-W	Single	White	ea.
RSS-ET-DPMA-W	Double	White	ea.



Features

Momentary Decora Switches

Cat, No.	Poles	Color	Unit
RSS-ET-DSOW	Single	White	ea.
RSS-ET-DSMO	Single	Ivory	ea.



Features

Maintain Decora Switches

Cat, No.	Poles	Color	Unit
RSS-ET-DSAW	Single	White	ea.
RSS-ET-DSMA	Single	Ivory	ea.



Condado Window

KEY SWITCHES

Motor Operator Controls



Features

Momentary Key Switch

Cat, No.	Color	Unit
RSS-ER-KEYMOM	N/A	ea.



FRONT PLATE
FOR PUSH-BUTTON MODE



FRONT PLATE
FOR 3-POSITION MODE

Features


Universal Momnetary/Maintain Key Switch

Cat, No.	Color	Unit
RSS-ET-KEYREC	Gray	ea.



Radio Receivers


Motor Operator Controls



Features

SIMU RC200 433 MHZ Radio Receiver

Cat. No.	Color	Unit	Input
RSS-ET-RC200	Black	ea.	120v








Features

SIMU Transmitters for RC200

Cat. No.	Channels	Color	Unit
RSS-ET-TRAN202	2	Black	ea.
RSS-ET-TRAN204	4	Black	ea.

ACCORDION SHUTTER PARTS SECTION






Condado Window

BLADES


CW ACCORDION BLADES



Features

Condado Accordion Blade 17'-0" 6063-T6


Cat. No.	Color	Unit
ACSWH-10	White	Ea.



Features

Condado Accordion Female Lock 17'-0" 6063-T6


Cat. No.	Color	Unit
ACSWH-30	White	Ea.



Features

Condado Accordion Male Lock 17'-0" 6063-T6

Cat. No.	Color	Unit
ACSWH-40	White	Ea.



Features

Condado Accordion Starting Blade 17'-0" 6063-T6


Cat. No.	Color	Unit
ACSWH-50	White	Ea.



Condado Window




CW ACCORDION TRACKS



Features

Ceiling/Soffit Header 19'-0" 6063-T6


Cat. No.	Color	Unit
ATRWH-10	White	Ea.



Features

Wall Flush Header 19'-0" 6063-T6


Cat. No.	Color	Unit
ATRWH-25	White	Ea.



Features

Wall Header 3/4" Offset 19'-0" 6063-T6

Cat. No.	Color	Unit
ATRWH-30	White	Ea.



Features

Wall Header 1" Offset 19'-0" 6063-T6


Cat. No.	Color	Unit
ATRWH-40	White	Ea.



Condado Window




CW ACCORDION TRACKS



Features

Wall/Floor Sill Track 19'-0" 6063-T6


Cat. No.	Color	Unit
ATRWH-65	White	Ea.



Features

Adjustable Floor Sill Adapter 19'-0" 6063-T6

Cat. No.	Color	Unit
ATRWH-80	White	Ea.



Features

Walkover Floor Track 19'-0" 6063-T6


Cat. No.	Color	Unit
ATRMF-90	Mill Finish	Ea.



Condado Window

HARDWARE


CW ACCORDION HARDWARE



Features

Hat Nylon Bushing


Cat, No.	Color	Unit
ACSZ-BH-WH	Natural	Ea.



Features

Long Nylon Bushing


Cat, No.	Color	Unit
ACSZ-BL-WH	Natural	Ea.



Features

Medium Nylon Bushing

Cat, No.	Color	Unit
ACSZ-BM-WH	Natural	Ea.



Features

Short Nylon Bushing

Cat, No.	Color	Unit
ACSZ-BS-WH	Natural	Ea.



Condado Window

HARDWARE

CW ACCORDION HARDWARE



Features

#14 X 3" HWH Accordion Screw


Cat. No.	Color	Unit
ACSZ-SC143		Ea.



Features

Accordion Stainless Steel Carriage Nylon Rollers

Cat. No.	Color	Unit
ACSZ-WC10		Ea.



Features

T-Handle Accordion Lock


Cat. No.	Color	Unit
ATST-0050	Bronze	Ea.
ATST-0054	White	Ea.



Condado Window

HARDWARE

CW ACCORDION HARDWARE



Features

Accordion 1/2" Aluminum Pin Lock

Cat, No.	Size	Unit
ATST-0040-12	12"	Ea.
ATST-0040-24	24"	Ea.
ATST-0040-36	36"	Ea.
ATST-0040-48	48"	Ea.





Features

Accordion Pin Lock Stainless Steel Thumb Screw

Cat, No.	Color	Unit
ASC-0020		Ea.
		Ea.
		Ea.

ANGLES AND TUBES SECTION






Condado Window

TUBES AND ANGLES


ALUMINUM TUBES



Features

White Powder Coated Stock Length: 19'-0"

Item Id	A	B	C
TB-WH-131820	1.00"	3.00"	.125"
TB-WH-141820	1.00"	4.00"	.125"
TB-WH-151820	1.00"	5.00"	.125"
TB-WH-221820	2.00"	2.00"	.125"
TB-WH-231820	2.00"	3.00"	.125"
TB-WH-241820	2.00"	4.00"	.125"
TB-WH-251820	2.00"	5.00"	.125"
TB-WH-261820	2.00"	6.00"	.125"



Features

White Powder Coated Stock Length: 19'-0"

Item Id	A	B	C
AXWH-0351620	.75"	1.50"	.0625"
AXWH-121820	1.00"	2.00"	.125"
AXWH-221820	2.00"	2.00"	.125"
AXWH-231820	2.00"	3.00"	.125"
AXWH-241820	2.00"	4.00"	.125"
AXWH-251820	2.00"	5.00"	.125"
AXWH-371820	3.00"	5.00"	.125"